

In the Claims:

Please amend claims 1, 3, 8, 10 and 15 as follows:

---

1. (currently amended) A method of updating a computer system, the method comprising:

receiving a [[at least one]] first set of update information, the first set of update information having a  
5 size;

requesting [[at least one]] a second set of update information responsive to at least [[a]] the size of the first set of update information; and

updating the computer system responsive to at least  
10 one selected from:

the first set of update information received; and

the first set of update information received and the  
second set of update information requested.

2. (original) The method of claim 1 wherein the updating step comprises deleting at least one set of information, said at least one set of information stored on the computer system prior to the receiving step, responsive  
5 to the first set of update information received.

3. (currently amended) The method of claim 1, additionally comprising:

receiving [at least one] a third set of update  
information;

5 updating the computer system responsive to at least  
the third set of update information received; and wherein

a difference in times between a performance of each of  
the receiving the third set of update information and the  
updating the computer system responsive to at least the  
10 first set of update information is larger than at least one  
selected from:

a difference in times between a performance of each of  
the receiving the first set of update information and the  
updating the computer system responsive to at least the  
15 first set of update information; and

a difference in times between a performance of each of  
the receiving the third set of update information and the  
updating the computer system responsive to at least the  
third set of update information.

4. (original) The method of claim 1 wherein the  
requesting step is additionally responsive to a size of an  
area into which update information may be stored.

5. (original) A method of updating a computer system,  
the method comprising:

requesting on a first occasion a first set of update  
information for a first set of information responsive to a  
5 list comprising at least one identifier of the first set of  
information and at least one identifier of a second set of  
information;

receiving the first set of update information  
responsive to the request;

10 modifying the first set of information responsive to  
the first set of update information received;

C<sup>1</sup>  
requesting on a second occasion, following the first  
occasion, a second set of update information for the first  
set of information before any update information for the  
15 second set of information is requested following the first  
occasion.

6. (original) The method of claim 5:

wherein a combination of the first set of update  
information and the any update information for the second  
set of information exceeds a storage size; and

5 additionally comprising requesting update information  
for the second set of information responsive to at least a  
size of the second set of update information for the first  
set of information not larger than the storage size.

7. (original) The method of claim 6 wherein:

the list has an order; and

the at least one identifier of the first set of  
information is ordered prior to the at least one identifier  
5 of the second set of information.

8. (currently amended) A computer program product  
comprising a computer useable medium having computer  
readable program code embodied therein for updating a  
computer system, the computer program product comprising:

5 computer readable program code devices configured to  
cause a computer to receive a ~~[[at least one]]~~ first set of  
update information, the first set of update information  
having a size;

computer readable program code devices configured to  
10 cause a computer to request ~~at least one~~ a second set of  
update information responsive to at least ~~[[a]]~~ the size of  
the first set of update information; and

computer readable program code devices configured to  
cause a computer to update the computer system responsive  
15 to ~~at least one~~ one selected from:

the first set of update information received; and

the first set of update information received and the  
second set of update information requested.

9. (original) The computer program product of claim 8 wherein the computer readable program code devices configured to cause a computer to update comprise computer readable program code devices configured to cause a  
5 computer to delete at least one set of information, said at least one set of information stored on the computer system prior to the receiving step, responsive to the first set of update information received.

10. (currently amended) The computer program product of claim 8, additionally comprising:

C1  
computer readable program code devices configured to cause a computer to receive ~~at least one~~ a third set of  
5 update information;

computer readable program code devices configured to cause a computer to update the computer system responsive to at least the third set of update information received;

and wherein a difference in times between an operation  
10 of each of the computer readable program code devices configured to cause a computer to receive the third set of update information and the computer readable program code devices configured to cause a computer to update the

computer system responsive to at least the first set of  
15 update information is larger than at least one selected  
from:

a difference in times between an operation of each of  
the computer readable program code devices configured to  
cause a computer to receive the first set of update  
20 information and the computer readable program code devices  
configured to cause a computer to update the computer  
system responsive to at least the first set of update  
information; and

a difference in times between an operation of each of  
25 the computer readable program code devices configured to  
cause a computer to receive the third set of update  
information and the computer readable program code devices  
configured to cause a computer to update the computer  
system responsive to at least the third set of update  
30 information.

11. (original) The computer program product of claim 8  
wherein the computer readable program code devices  
configured to cause a computer to request are additionally  
responsive to a size of an area into which update  
5 information may be stored.

12. (original) A computer program product comprising a computer useable medium having computer readable program code embodied therein for updating a computer system, the computer program product comprising:

5 computer readable program code devices configured to cause a computer to request on a first occasion a first set of update information for a first set of information responsive to a list comprising at least one identifier of the first set of information and at least one identifier of  
10 a second set of information;

computer readable program code devices configured to cause a computer to receive the first set of update information responsive to the request;

C1  
computer readable program code devices configured to  
15 cause a computer to modify the first set of information responsive to the first set of update information received;

computer readable program code devices configured to cause a computer to request on a second occasion, following the first occasion, a second set of update information for  
20 the first set of information before any update information for the second set of information is requested following the first occasion.

13. (original) The computer program product of claim  
12:

wherein a combination of the first set of update  
information and the any update information for the second  
5 set of information exceeds a storage size; and

additionally comprising computer readable program code  
devices configured to cause a computer to request update  
information for the second set of information responsive to  
at least a size of the second set of update information for  
10 the first set of information not larger than the storage  
size.

14. (original) The computer program product of claim  
13 wherein:

the list has an order; and

the at least one identifier of the first set of  
5 information is ordered prior to the at least one identifier  
of the second set of information.

15. (currently amended) A system for updating a  
computer system, the system comprising:

a holding area manager for identifying and providing  
at a size output a size of ~~at least one~~ a first set of  
5 update information received at an input, the first set of



update information having the size, and providing a signal at an update output responsive to at least the size exceeding a storage amount;

10 a requester having an input coupled to the holding area manager size output for receiving the size, the requester for requesting at an output ~~at least one~~ a second set of update information responsive to the size received at the requester input; and

15 an installer/deleter having an input coupled to the holding area manager update output for receiving the signal, the installer/deleter for updating the computer system via an output responsive to the signal and one selected from:

20 ~~at least~~ the first set of update information received at an update input; and

the first set of update information received at the update input and the second set of update information requested by the requester.

16. (original) The system of claim 15 wherein the installer/deleter updates the computer system by generating at a command output at least one command, responsive to the first set of update information received, to delete at  
5 least one set of information said at least one set of

information stored on the computer system prior to the holding area manager identifying and providing the size.

17. (original) The system of claim 15, wherein:

the requester additionally requests at the requester output at least one third set of update information;

the installer/deleter additionally updates the  
5 computer system responsive to at least the third set of update information received at the update input; and

a difference in times between the requester requesting the third set of update information and the installer/deleter updating the computer system responsive  
10 to at least the first set of update information is larger than at least one selected from:

a difference in times between the holding area manager identifying the size of the first set of update information and the installer/deleter updating the computer system  
15 responsive to at least the first set of update information; and

a difference in times between the requester requesting the third set of update information and the installer/deleter updating the computer system responsive  
20 to at least the third set of update information.

18. (original) The system of claim 15 wherein the requester requests the at least one second set of update information additionally responsive to a size of an area into which at least the second set of update information  
5 may be stored.

19. (original) A system of updating a computer system, the system comprising:

a requester having an input for receiving a list comprising at least one identifier of a first set of  
5 information and at least one identifier of a second set of information, the requester for:

providing at an output during a first occasion a request for a first set of update information for the first set of information responsive to the list; and

10 providing at the output on a second occasion, following the first occasion, a request for a second set of update information for the first set of information before any update information for the second set of information is requested;

15 a holding area manager having an input for receiving the first set of update information responsive to the request; and

an installer/deleter having an input coupled to the holding area manager for receiving the first set of update  
20 information, the installer deleter for providing at least one command at an output to modify the first set of information responsive to the first set of update information received at the installer/deleter input.

20. (original) The system of claim 19:

wherein a combination of the first set of update information and the any update information for the second set of information exceeds a storage size; and

5 the requester is additionally for providing a request for update information for the second set of information responsive to at least a size of the second set of update information for the first set of information not larger than the storage size.

21. (original) The system of claim 20 wherein:

the list has an order; and

the at least one identifier of the first set of information is ordered prior to the at least one identifier  
5 of the second set of information.